

Serial No.: 09/684,488
Filed: October 4, 2000

AMENDMENTS TO THE CLAIMS

B1
1. (Currently amended) A computer readable medium containing a program executable by a microprocessor, when executed the program performs a A method for clustering data comprising:

- (a) receiving a plurality of data points for clustering;
- (b) receiving a size parameter for specifying the number of data points to be moved at one time;
- (c) clustering the data points by using the size parameter to generate clustered results;
- (d) determining whether the clustered results are satisfactory;
- (e) when the clustered results are satisfactory, stop clustering;
- (f) otherwise when the clustered results are not satisfactory, revise the size parameter, perform clustering based on the revised size parameter and the clustered results, and proceed to step (d).

2. (Currently amended) The computer readable medium ~~method~~ of claim 1 wherein step (c) further comprises:

- (c1) evaluating subsets of data points in each cluster for moving into every other cluster by using a predetermined metric; wherein the number of data points in the subset is specified by the size parameter.

3. (Currently amended) The computer readable medium ~~method~~ of claim 2 wherein step (c1) further comprises:

- (c1_1) determining a geometric center of the subset of data points being evaluated for a move;
- (c1_2) using the geometric center of the subset of data points in the predetermined metric to generate a value.

4. (Currently amended) The computer readable medium ~~method~~ of claim 3 wherein step (c1) further comprises:

- (c1_3) determining whether the value is greater than zero;

Serial No.: 09/684,488
Filed: October 4, 2000

- B |
- (c1_4) when the value is greater than zero, moving the subset of data points from a Move_From cluster to a Move_To cluster;
 - (c1_5) when the value is not greater than zero, determining if there are more subsets to evaluate;
 - (c1_6) when there are more subsets to evaluate, proceeding to step (c1);
 - (c1_7) when there are no more subsets to evaluate, determining whether any point has moved;
 - (c1_8) when a point has moved, proceeding to step (c1); and
 - (c1_9) when no point has moved, stopping the processing.

5. (Currently amended) The computer readable medium method of claim 4 wherein each data has a membership with one cluster, wherein step (c1_4) further comprises:

simultaneously updating the membership of at least two data points from the membership of the Move_From cluster to the membership of the Move_To cluster.

6. (Currently amended) The computer readable medium method of claim 4 wherein step (c1_4) further comprises:

updating the count of the Move_From cluster;
updating the center of the Move_From cluster;
updating the count of the Move_To cluster;
updating the center of the Move_To cluster.

7. (Currently amended) The computer readable medium method of claim 1 wherein revising the size parameter of step (f) further comprises:

(f_1) decreasing the size parameter.

8. (Currently amended) The computer readable medium method of claim 1 wherein step (d) further comprises:

(d_1) employing a predetermined metric for determining whether the clustered results are satisfactory; wherein the predetermined metric

Serial No.: 09/684,488
Filed: October 4, 2000

B |
includes a geometric center of the subset of points that are being evaluated for move.

9. (Currently amended) The computer readable medium method of claim 8 wherein the predetermined metric includes the following expression:

where U is the subset of data points being evaluated for the move, $|U|$ is the size of U that is specified by the size parameter, m_{∞} is the geometric center of U , M_i and m_j are the centers of the clusters and n_i and n_j are the counts of the clusters.

10. (Currently amended) The computer readable medium method of claim 1 wherein the clustering method is utilized in one of a data mining application, customer segmentation application, document categorization application, scientific data analysis application, data compression application, vector quantization application, and image processing application.

11.-20. (Cancelled).